

Author index

Aalto, S. *see* Maksimow, A.
Abeysekera, A., Bergman, I.J., Kluger, M.T. and Short, T.G. Drug error in anaesthetic practice: a review of 896 reports from the Australian Incident Monitoring Study database, 220
Ackroyd, C.R., Milner, Q.J.W., Obal, D., Kindgen-Milles, D., Schoebel, F. and Schlack, W. Peri-operative myocardial ischaemia, 714
Adams, H. 'Where there is error, may we bring truth.' *A misquote by Margaret Thatcher as she entered No 10, Downing Street in 1979*, 274
Agarwal, A., Dhiraaj, S., Tandon, M., Singh, P.K., Singh, U. and Pawar, S. Evaluation of capsaicin ointment at the Korean hand acupressure point K-D2 for prevention of postoperative nausea and vomiting, 1185
Agarwal, A., Ranjan, R., Dhiraaj, S., Lakra, A., Kumar, M. and Singh, U. Acupressure for prevention of pre-operative anxiety: a prospective, randomised, placebo controlled study, 978
Agarwal, A., Singhal, V., Dhiraaj, S., Jain, S. and Pandey, R. Head injury from an MRI compatible pulse oximeter, 1049
Aguennouz, M. *see* Fodale, V.
Ahmed, I.S., Aziz, E. and Newton, N. Connection of capnography sampling tube to an intravenous cannula, 824
Ahmed, S.M. *see* Chhabra, J.S.
Akkaya, T. *see* Sayin, M.M.
Aldory, M. *see* Platt, S.
Aldridge, J. Leak on Datex Aestiva/5 anaesthetic machine, 420
Aldridge, J. Potential air embolus from a Level 1 Rapid Infuser, 1250
Alexander, R. and Fardell, S. Use of remifentanil for tracheal intubation for caesarean section in a patient with suxamethonium apnoea, 1036
Alfery, D. *see* Cook, T.M.
Ali, L. and Stocks, G.M. Spina bifida, tethered cord and regional anaesthesia, 1149
Ali, M.A., Subbaramaiah, M.T. and O'Donohoe, B. Reflectance pulse oximeter-associated burn in a critically ill patient, 1249
Al-Shaikh, B., William, M.G. and Van Zundert, A.A.J. Using atmospheric pressure to inflate the cuff of the Portex Laryngeal Mask, 296
Al-Tannir, M. *see* Naja, M.Z.
Amà, R., Claessens, T., Roosens, C., Segers, P., Verdonck, P. and Poelaert, J. A comparative study of preload-adjusted maximal and peak power: assessment of ventricular performance in clinical practice, 35
Ambesh, S.P., Tripathi, M., Pandey, C.K., Pant, K.C. and Singh, P.K. Clinical evaluation of the 'T-Dagger™': a new bedside percutaneous dilatational tracheostomy device, 708
Anderson, K. *see* Wildsmith, J.A.W.
Anderson, K.J., Leitch, J.A., Green, J.S. and Kenny, G.N.C. Effect-site controlled patient maintained propofol sedation: a volunteer safety study, 235
Anderson, R.E. *see* Tirén, C.
Angadi, P.S. *see* Li, A.M.M.Y.
Angus, D.C. *see* Davies, A.
Anvari, J.S. Patient-controlled opioid analgesia for labour, 1244
Appleby, I. *see* Wilson, S.R.
Arai, T. *see* Okuda, Y.
Arfeen, Z. *see* Lane, S.
Arnal, D., Garutti, I., Perez-Peña, J., Olmedilla, L. and Tzenkov, I.G. Radial to femoral arterial blood pressure differences during liver transplantation, 766
Asai, T. and Shingu, K. Appropriate cuff volumes of the Laryngeal Tube, 486
Asai, T., Matsumoto, S., Shingu, K., Noguchi, T. and Koga, K. Use of the laryngeal tube after failed insertion of a laryngeal mask airway, 825
Asai, T., Murao, K. and Shingu, K. Laryngeal mask airway to prevent a gas leak around a tracheal tube, 102
Asai, T. *see* Fujise, K.
Asai, T. *see* Okuda, Y.
Asai, T. Use of the laryngeal tube for difficult fibroscopic tracheal intubation, 826
Ashton, W. *see* Townley, S.A.
Ashworth, D.R. *see* Tong, J.L.
Athanassiou, L., Hancock, S.M. and Mahajan, R.P. Doppler estimation of zero flow pressure during changes in downstream pressure in a bench model of a circulation using pulsatile flow, 133
Atkinson, D., McCluskey, A. and Richardson, A.M.T. Horner's syndrome after general anaesthesia, 99
Aulmann, M. *see* Böttiger, B.W.
Aveling, W. and Bell, M.J.D. A response to 'Routine pre-oxygenation – a new "minimum standard" of care?', 298
Averley, P. *see* Lahoud, G.
Averley, P. *see* Taylor, B.L.
Averley, P. *see* Wildsmith, J.A.W.
Awsare, A.N., Patwardhan, A. and Wagle, A. Intrathecal catheters after dural puncture – some unanswered questions, 1243
Aziz, E. *see* Ahmed, I.S.
Baba, R. and Zwaal, J.W. Severe metabolic acidosis after a single tonic-clonic seizure, 623
Bagshaw, M. A response to 'The effect of high altitude commercial air travel on oxygen saturation', 948
Bajenov, S. *see* Weller, J.M.
Balachandran, S. *see* Fayaz, K.M.
Baldwin, T.J. *see* White, S.M.
Bali, I. *see* Humphreys, S.
Ball, A. *see* Green, R.
Ball, D.R. and Jefferson, P. Airway alerts, 518
Ball, D.R. *see* Christie, D.
Ball, D.R. *see* Pathak, D.
Ball, D.R. *see* Tallach, R.E.
Ballin, M.S. and Jani, S.J. Another problem with prefilled succinylcholine, 828
Bamigbade, T.A. *see* Thomas, S.P.
Banerjee, A. *see* Thomas, G.L.
Bansard, J.Y. *see* Tirel, O.
Baraka, A. *see* Zeidan, A.
Baraka, A. Difficult Airway Society guidelines, 415
Baraz, R. and Collis, R.E. The management of accidental dural puncture during labour epidural analgesia: a survey of UK practice, 673

Barber, B. *see* Davies, A.
Barclay, J. *see* Cuthbertson, B.H.
Barker, J.M., Prasad, K. and Weaver, D. Difficulty with a flanged tracheostomy tube, 939
Barker, K. *see* Kartha, V.
Barnes, D. *see* Udy, A.
Barnes, P.K. *see* Bogod, D.
Barnett, M.J. *see* Gordon, A.C.
Barnett, N., Hanafiah, Z. and Hirsch, N. A response to 'Lymphocyte contamination of laryngoscope blades – a possible vector for transmission of variant Creutzfeldt-Jakob disease', 1158
Barr, G. *see* Tirén, C.
Batas, D., Park, C. and Hermon-Taylor, A.C. A serious case of failed extubation: difficulty removing a laser resistant tracheal tube in a 7-year-old child, 1039
Batchelor, A.M. *see* Cosgrove, J.F.
Battula, N. *see* Elahi, M.
Baulig, W., Bernhard, E.O., Bettex, D., Schmidlin, D. and Schmid, E.R. Cardiac output measurement by pulse dye densitometry in cardiac surgery, 968
Bazin, J.E. and Constantin, J.M. Are all the single-use laryngeal masks the same?, 1251
Beatty, P. *see* Smith, A.F.
Beatty, S. *see* Smith, A.F.
Beck, A. *see* Huber-Lang, M.
Beckett, A. *see* Hirsch, N.
Beilin, B., Yardeni, I.Z., Smolyarenko, V., Zeidel, A., Ram, E. and Mayburt, E. Comparison of the Flexiblade levering laryngoscope with the English Macintosh laryngoscope in patients with a poor laryngoscopic view, 400
Bein, B., Renner, J., Tonner, P.H., Bettex, D.A., Jenni, R. and Schmid, E.R. Transtoesophageal echocardiography for the determination of cardiac output: beware of improper comparisons, 512
Bein, B., Turowski, P., Renner, J., Hanss, R., Steinbach, M., Scholz, J. and Tonner, P.H. Comparison of xenon-based anaesthesia compared with total intravenous anaesthesia in high risk surgical patients, 960
Bein, B. *see* Russell, L.
Bell, G. *see* Urquhart, C.
Bell, M.D.D. *see* Aveling, W.
Bell, M.D.D. *see* Tallach, R.E.
Bennett, E.-J. *see* McArthur, J.
Bennett, E.-J. *see* Paech, M.J.
Bennett, M.W., Nowicki, R.W., Parsons, A. and Green, A. Faulty Penlon circle absorber, 932
Benzner, A. *see* Tiefenthaler, W.
Bergman, I.J. *see* Abeysekera, A.
Beringer, R. *see* Cook, T.M.
Bernet, V., Dullenkopf, A., Maino, P. and Weiss, M. Outer diameter and shape of paediatric tracheal tube cuffs at higher inflation pressures, 1123
Bernet, V. *see* Maino, P.
Bernhard, E.O. *see* Baulig, W.
Berridge, P.D.R., Pollock, K.M., Longhorn, R.K., Heard, A.M.B., Strandvik, G., Mayall, M., Fikkens, B.G., van Vugt, S., van der Hoeven, J.G., van den Hoogen, F.J.A. and Marres, H.A.M. Emergency airway equipment and training, 291
Berrisford, R.G. *see* Kelly, F.E.
Berry, S. *see* Hirsch, N.
Bettex, D. *see* Baulig, W.
Bettex, D.A. *see* Bein, B.
Bhimarsetty, C., Mutagi, H.S., Geoghegan, J. and Kenyon, D. Incorrectly assembled nerve block catheter sets, 292
Biccard, B.M., Sear, J.W. and Foëx, P. Statin therapy: a potentially useful peri-operative intervention in patients with cardiovascular disease, 1106
Biccard, B.M., Sear, J.W. and Foëx, P. The pharmaco-economics of peri-operative statin therapy, 1059
Biccard, B.M. Relationship between the inability to climb two flights of stairs and outcome after major non-cardiac surgery: implications for the pre-operative assessment of functional capacity, 588
Bilotta, F., Ferri, F., Giovannini, F., Pinto, G. and Rosa, G. Nefopam or clonidine in the pharmacologic prevention of shivering in patients undergoing conscious sedation for interventional neuroradiology, 124
Bischoff, P. *see* Schmidt, G.N.
Black, G. *see* Webb, C.
Blair, J.M., Dobson, G.T., Hill, D.A., McCracken, G.R. and Fee, J.P.H. Patient controlled analgesia for labour: a comparison of remifentanil with pethidine, 22
Blanckley, S. *see* Hurst, T.
Bodenham, A.R. *see* Galloway, S.
Bodenham, A.R. *see* Jones, T.M.
Bogod, D., Yentis, S.M. and Barnes, P.K. Snippet, 406
Bogod, D. *see* Cann, C.
Bogod, D. *see* Ghai, B.
Bojah, H. and Plaat, F. Allergy to anaesthesia, 297
Boldt, J. *see* Röhm, K.D.
Bonner, S. *see* Cosgrove, J.F.
Bonner, S.M. *see* Ormrod, J.A.
Bonsel, G.J. *see* van den Bosch, J.E.
Borg, P., Fikkens, B.G., van Vugt, S., van der Hoeven, J.G., van den Hoogen, F.J.A. and Marres, H.A.M. Emergency cricothyrotomy, 412
van den Bosch, J.E., Kalkman, C.J., Vergouwe, Y., Van Klei, W.A., Bonsel, G.J., Grobbee, D.E. and Moons, K.G.M. Assessing the applicability of scoring systems for predicting postoperative nausea and vomiting, 323
Böttiger, B.W., Snyder-Ramos, S.A., Lapp, W., Motsch, J., Aulmann, M., Schweizer, M., Layug, E.L., Martin, E. and Mangano, D.T. For the investigators of the Multicenter Study of Perioperative Ischemia (MCSPI) Research Group, Inc. and the Ischemia Research and Education Foundation. Association between early postoperative coagulation activation and perioperative myocardial ischaemia in patients undergoing vascular surgery, 1162
Bouaziz, H. *see* Jochum, D.
Bowes, M. *see* Pattinson, K.T.S.
Bowler, I. *see* Bowrey, S.
Bowrey, S., Hamer, J., Bowler, I., Symonds, C. and Hall, J.E. A comparison of 0.2 and 0.5 mg intrathecal morphine for postoperative analgesia after total knee replacement, 449
Boyne, I. *see* Harten, J.M.
Boyne, I. *see* McNaught, A.
Bray, C. *see* Goodwin, N.
Bretland, M. *see* King, R.
Brett, S.J. *see* Sukantarat, K.T.
Brinkmann, A. *see* Huber-Lang, M.
Brinkmann, F. *see* Russell, L.
Brosman, C., Khoo, K. and Cooke, R. Incorrectly sited PEEP valve, 418
Brown, A. *see* Harten, J.M.
Brown, A. *see* McNaught, A.

Buckley, T.A. *see* Chui, J.S.W.

Bunker, N., Stone, A., Higgins, D., King, D., Mallick, A. and Elliot, S.C. The current practice of tracheostomy in the UK, 933

Bunker, N.J. *see* Higgins, D.J.

Burden, R.J. *see* Taylor, B.L.

Burgess, C.M., Wolverson, A.S. and Dale, M.T. Cervical epidural abscess: a rare complication of intravenous cannulation, 605

Burgess, P.W. *see* Sukantarat, K.T.

Burnell, S.H. *see* da Silva, E.J.

Butler, A. *see* Navarange, S.

Byhahn, C., Lischke, V., Meininger, D., Halbig, S. and Westphal, K. Peri-operative complications during percutaneous tracheostomy in obese patients, 12

Byhahn, C. *see* Dawson, C.M.

Byhahn, C. *see* Dongelmans, D.A.

Byhahn, C. *see* Morgan, P.

Caesar, C.G. *see* Evans, A.

Calvert, N. *see* Scott, D.H.T.

Cameron, A.J.D. and Skinner, T.A.J. Management of a parturient with respiratory failure secondary to cystic fibrosis, 77

Cameron, D. *see* MacLeod, D.B.

Campbell, E. *see* Wolfenden, L.

Cann, C., Hall, J.E., Sudheer, P.S., Turley, A. and Bogod, D. Is ethical approval necessary for manikin studies?, 94

Cann, C., Harmer, M., Harvey, K. and Rosen, M. Evaluation of a needle-free system for delivery of skin anaesthesia, 720

Carr, B. *see* Kitson, R.

Carré, F. *see* Tirel, O.

Cavenagh, J.D. *see* Gordon, A.C.

Chadwick, R.J. *see* Ormrod, J.A.

Chambers, J.C., Hough, M.B. and Mitton, M. Awareness hazard using a Tec 6 vaporiser, 942

Chan, A.Y.W. *see* Chui, J.S.W.

Chan, K.C. *see* Chui, J.S.W.

Chan, M.T.V. *see* Leslie, K.

Chamavaz, C. *see* Tirel, O.

Chandradeva, K. and Ghosh, S.M. Airway alert information following difficult intubations, 97

Charlesworth, B. *see* Trümpelmann, P.

Charters, P. *see* Sulaiman, L.

Chaturvedi, A. *see* Ghosh, I.

Cheah, M.H. and Kam, P.C.A. Obesity: basic science and medical aspects relevant to anaesthetists, 1009

Cherian, A. and Maguire, M. Transient blindness following intravenous ondansetron, 938

Chhabra, J.S. and Ahmed, S.M. An easy to learn double lumen tube placement protocol, 294

Childs, C., Vail, A., Protheroe, R., King, A.T. and Dark, P.M. Differences between brain and rectal temperatures during routine critical care of patients with severe traumatic brain injury, 759

Chin, K.J. and Seow, S.C. Atrioventricular conduction block induced by low-dose atropine, 935

Chincholkar, M. and McGlennan, A. A response to 'Delayed haemolytic transfusion reaction and hyperhaemolysis complicating peri-operative blood transfusion in sickle cell disease', 1156

Chinn, C. *see* Davies, A.

Christie, D. and Ball, D.R. A problem with adhesive surgical drapes, 943

Christie, D., Jefferson, P. and Ball, D.R. Diathermy smoke and human health, 632

Chui, J.S.W., Poon, W.T., Chan, K.C., Chan, A.Y.W. and Buckley, T.A. Nitrite-induced methaemoglobinemia – aetiology, diagnosis and treatment, 496

Cinar, O. *see* Tuncali, B.E.

Claessens, T. *see* Amà, R.

Clark, E. *see* Higgs, A.

Clarke, F. *see* Cosgrove, J.F.

Clarke, F.L. *see* Turley, A.J.

Clarke, T.N.S. *see* Sandhu, S.

Clyburn, P. *see* Collis, R.E.

Clyburn, P. Spinal anaesthesia for Caesarean section: time for re-appraisal, 633

Coakley, M., Self, R., Marchant, W., Mackie, I., Mallett, S.V. and Mythen, M. Use of the platelet function analyser (PFA-100[®]) to quantify the effect of low dose aspirin in patients with ischaemic heart disease, 1173

Cohen, A.M. *see* Scott, D.H.T.

Collin, S. *see* Thomas, A.N.

Collinge, J. *see* Hirsch, N.

Collis, R.E., Harries, S.E., Clyburn, P. and Reynolds, F. Spinal anaesthesia for Caesarean section and fetal acidosis, 1238

Collis, R.E. *see* Baraz, R.

Constantin, J.M. *see* Bazin, J.E.

Cook, T. *see* Trümpelmann, P.

Cook, T.M. and Lowe, J.M. An evaluation of the Cobra Perilyngeal AirwayTM: study halted after two cases of pulmonary aspiration, 791

Cook, T.M., Lowe, J., Alfery, D. and Quinn, B. More on the CobraPLA, 1144

Cook, T.M., Silsby, J. and Simpson, T.P. Airway rescue in acute upper airway obstruction using a ProSealTM Laryngeal mask airway and an Aintree CatheterTM: a review of the ProSealTM Laryngeal mask airway in the management of the difficult airway, 1129

Cook, T.M., Trümpelmann, P., Beringer, R. and Stedeford, J. A randomised comparison of the Portex SoftsealTM laryngeal mask airway with the LMA-UniqueTM during anaesthesia, 1218

Cooke, R. *see* Brosnan, C.

Cooley, A. *see* Urquhart, C.

Cooper, D. *see* Platt, S.

Cooper, D.W. Ephedrine, phenylephrine and fetal acidosis, 1237

Cooper, R.M. The GlideScope[®] videolaryngoscope, 1042

Cornwall, D. Lip balm 'scent' for paediatric anaesthesia, 827

Cortinez, L.I. *see* MacLeod, D.B.

Cosgrove, J.F., Kilner, A.J., Batchelor, A.M., Clarke, F., Bonner, S. and Mensah, J. Training and assessment of competency in the transfer of critically ill patients, 413

Cousins, J. *see* Winterborn, C.

Cox, A.A. *see* Tunstill, S.A.

Coxon, M. *see* Roberts, H.S.

Craft, T.M. *see* Thomas, S.P.

Crawford, D. A response to 'Accidental tenfold overdose of propofol in a 6-month old infant undergoing elective craniosynostosis repair', Patermann B., Buzello S., Dück M., Paul M., Kampe S. *Anaesthesia* 2004; 59: 912–4, 104

Croal, B.L. *see* Cuthbertson, B.H.

Cuignet-Pourel, E. *see* Jochum, D.

Cuthbertson, B.H., Patel, R.R., Croal, B.L., Barclay, J. and Hillis, G.S. B-Type natriuretic peptide and the prediction of outcome in patients admitted to intensive care, 16

Cuthbertson, B.H., Scott, J., Strachan, M., Kilonzo, M. and Vale, L. Quality of life before and after intensive care, 332

Daher, M. *see* Naja, M.Z.
Dale, M.T. *see* Burgess, C.M.
Daley, C. *see* Kinsella, S.M.
Dalgleish, D. and Kathawaroo, S. Lipid emulsion to treat bupivacaine toxicity, 822
Daly, H. *see* Paech, M.J.
Danha, R.F., Thompson, J.L., Popat, M.T. and Pandit, J.J. Comparison of fibreoptic-guided orotracheal intubation through classic and single-use laryngeal mask airways, 184
Dark, P.M. *see* Childs, C.
Dash, H.H. *see* Ghosh, I.
Datta, S. *see* Harnett, M.J.P.
Davidson, A.J. *see* Huang, G.H.
Davies, A., Ridley, S., Hutton, J., Chinn, C., Barber, B. and Angus, D.C. Cost effectiveness of drotrecogin alfa (activated) for the treatment of severe sepsis in the United Kingdom, 155
Davies, D.W. *see* Kojodojo, P.
Davies, J. and Fitz-Henry, J. 'Near-miss' obstruction of a laryngeal mask airway, 416
Davis, A.G. *see* McNaught, A.
Dawson, C.M., Byhahn, C. and Meininger, D. Complications of percutaneous tracheostomy in obese patients, 718
Dawson, J.S. and Tomlinson, P.A. Failure to open outer casing of pre-filled succinylcholine syringe, 293
Deacy, N. *see* Udy, A.
Dell, A.E. *see* Sundaram, R.
Dering, A. *see* Rai, M.R.
Deusch, E. *see* Thaler, U.
Deymond, R. *see* Dowdall, N.
Deymond, R. *see* Gradwell, D.P.
Deymond, R. *see* Humphreys, S.
Dhiraaj, S. *see* Agarwal, A.
Diab, M. *see* Tabboush, Z.
Diarra, P.D. *see* Jochum, D.
Diaz-Navarro, C. *see* Hall, J.E.
Dickerman, R.D., Morgan, J., McConathy, W.J., Schaller, F., Medras, M., Tworowska, U., Dumanski, A., Jozkow, P. and Dubinski, A. The postoperative catabolic state: when do you intervene?, 514
Dickison, D. Bullying in the workplace, 1159
Dingley, J. *see* King, R.
Dion, P.W. *see* Ho, A.M.-H.
Dobson, A. *see* Elkington, T.
Dobson, G.T. *see* Blair, J.M.
Dodd, P. *see* Paech, M.J.
Dodd, P. *see* Sathishkumar, S.
Dodd, P.H. *see* McArthur, J.
Doerges, V. *see* Russell, L.
Dogan, A. *see* Tuncali, B.E.
Doherty, D.A. *see* Paech, M.J.
Dongelmans, D.A. and Byhahn, C. A response to 'Peri-operative complications during percutaneous tracheostomy in obese patients', 523
Dosseth, E.D. *see* Lebuffe, G.
Doughty, A. Patency of the Doughty technique, 1242
Dowdall, N., Humphreys, S. and Deymond, R. A response to 'The effect of high altitude commercial air travel on oxygen saturation', 946
Dowdall, N. A response to 'The effect of high altitude commercial air travel on oxygen saturation', 947
Doyle, D.J. The GlideScope® video laryngoscope, 414
Doyle, P. *see* Winterborn, C.
D'souza, D. Bilateral otorrhagia during emergence from anaesthesia, 627
Dubey, P. and Prasad, R.R. Expulsion of a peripherally placed 'central' line by coughing, 208
Dubinski, A. *see* Dickerman, R.D.
Dubinski, A. *see* Medras, M.
Duggan, J.E. *see* Haslam, N.
Dullenkopf, A. *see* Bernet, V.
Dullenkopf, A. *see* Maino, P.
Dullenkopf, A. *see* Weiss, M.
Dumanski, A. *see* Dickerman, R.D.
Dumanski, A. *see* Medras, M.
Eastwood, J.R. *see* Hancock, S.M.
Eckersall, S. *see* Patel, N.
Ecoffey, C. *see* Tirel, O.
Edsell, M.E.G. and Erasmus, P.D. Use of the common gas outlet for supplementary oxygen during Caesarean section, 1152
Edsell, M.E.G. and McDonald, P. Length of preformed tracheal tubes, 940
Edwards, D. *see* Longmate, A.
Eid, L., Ginosar, Y., Elchalal, U., Pollak, A. and Weiniger, C.F. Caesarean section following the Fontan procedure: two different deliveries and different anaesthetic choices in the same patient, 1137
Eipe, N. and Oduro-Dominah, A. Colloids for vegetarians, 520
Eipe, N. Blame for peri-operative nerve injury, 932
El Rajab, M. *see* Naja, M.Z.
Elahi, M., Battula, N. and Swanevelder, J. The use of the stroke risk index to predict neurological complications following coronary revascularisation on cardiopulmonary bypass, 654
Elar, Z. *see* Tuncali, B.E.
Elchalal, U. *see* Eid, L.
Elkington, T. and Dobson, A. Oesophageal Doppler and the ProSeal™ Laryngeal Mask Airway, 827
Elliot, S.C. *see* Bunker, N.
Elliot, S.C. *see* Krishnan, K.
Elram, T. *see* Weiniger, C.F.
English, J.D. and Moppett, I.K. Evaluation of a *trans*-oesophageal Doppler probe in awake subjects, 720
English, W.A., Sanders, D.J. and Hall, J.M. A simple model for training in one lung ventilation, 1051
Erasmus, P.D. *see* Edsell, M.E.G.
Evans, A. and Stacey, M. Ambulatory cardiac monitoring during pregnancy, 206
Evans, A., Wilkes, A.R., Hall, J.E., Caesar, C.G. and Scott, D.H.T. Strength requirements for laryngoscope blades, 289
Evans, P. *see* Lane, S.
Ezra, Y. *see* Weiniger, C.F.
Faber, P., Ronald, A. and Millar, B.W. Methylthioninium chloride: pharmacology and clinical applications with special emphasis on nitric oxide mediated vasodilatory shock during cardiopulmonary bypass, 575
Falconer, R. *see* Reid, S.
Fan, Y. *see* Zhang, X.W.
Fardell, S. *see* Alexander, R.
Farling, P. *see* Sapra, H.
Farling, P. A response to 'Consent for practising difficult intubation techniques', 523
Farling, P.A. *see* Webb, S.T.
Fayaz, K.M., Pugh, S., Balachandran, S., Sudheer, P.S. and Hall, J.E. Histamine release during adult cardiopulmonary bypass, 1179

Fee, J.P.H. *see* Blair, J.M.
 Fee, J.P.H. *see* Humphreys, S.
 Ferri, F. *see* Bilotta, F.
 Fikkens, B.G. *see* Berridge, P.D.R.
 Fikkens, B.G. *see* Borg, P.
 Filipovic, M., Jeger, R.V., Girard, T., Probst, C., Pfisterer, M., Gürke, L., Studer, W. and Seeberger, M.D. Predictors of long-term mortality and cardiac events in patients with known or suspected coronary artery disease who survive major non-cardiac surgery, 5
 Filipovic, M. *see* Lunn, J.N.
 Fischer, H.B.J. and Simanski, C.J.P. on behalf of the PROSPECT working group. A procedure-specific systematic review and consensus recommendations for analgesia after total hip replacement, 1189
 Fitz-Henry, J. *see* Davies, J.
 Fletcher, S.J. and Ling, A. Failure of a Luer lock, 206
 Fludger, S. and Tarr, T. Self-administration of drugs postoperatively, 1047
 Fodale, V., Mazzeo, A., Praticò, C., Aguenouz, M., Toscano, A., Santamaria, L.B. and Vita, G. Fatal exacerbation of peripheral neuropathy during lamivudine therapy: evidence for iatrogenic mitochondrial damage, 806
 Foëx, P. *see* Biccard, B.M.
 Forbes, A. *see* Leslie, K.
 Forrest, M. *see* Hurst, T.
 Friselle, H.P. *see* Sharwood-Smith, G.H.
 Frova, G., Healy, D., Green, R., McSwiney, M., Hodzovic, I., Latto, I.P., Wilkes, A.R., Hall, J.E. and Mapleson, W.W. Comparison of tracheal introducers, 516
 Fujise, K., Inoue, S., Okuno, S., Asai, T. and Shingu, K. Damage to a syringe pump by propofol, 1045
 Gabl, M. *see* Tiefenthaler, W.
 Gallagher, T. *see* Vidgeon, S.
 Galloway, S., Sharma, A., Ward, J. and Bodenham, A.R. A review of an anaesthetic led vascular access list, 772
 Gao, F. *see* Sutton, P.J.
 García-Aguado, R. Fixation of the ProSealTM Laryngeal Mask Airway with a gauze bandage, 726
 Garg, S. *see* Sood, D.
 Garutti, I. *see* Arnal, D.
 Gauss, A. *see* Huber-Lang, M.
 Gebhard, F. *see* Huber-Lang, M.
 Geoghegan, J. *see* Bhimisetty, C.
 Geoghegan, J., Tasker, L., Udy, A. and Sigston, P. A response to 'The use of recombinant activated Factor VII in the control of haemorrhage following blunt pelvic trauma', 1156
 Geoghegan, J. *see* Tasker, L.J.
 Gerig, H.J., Schnider, T. and Heidegger, T. Prophylactic percutaneous transtracheal catheterisation in the management of patients with anticipated difficult airways: a case series, 801
 Ghai, B., Saxena, A.K. and Bogod, D. Patient's consent for publication, 289
 Ghosh, I., Chaturvedi, A. and Dash, H.H. Overdose of propofol in a child, 619
 Ghosh, S.M. *see* Chandradeva, K.
 Gildersleve, C.D. *see* Jones, R.M.
 Giles, S.P. *see* Sutton, P.J.
 Gilkes, T.G. *see* Mitchell, J.R.
 Ginosar, Y. *see* Eid, L.
 Ginosar, Y. *see* Weiniger, C.F.
 Giovannini, F. *see* Bilotta, F.
 Girard, T. *see* Filipovic, M.
 Girbes, A.R.J. *see* Venker, J.
 Glaisyer, H. *see* Moore, S.
 Goldhill, D.R., McNarry, A.F., Mandersloot, G. and McGinley, A. A physiologically-based early warning score for ward patients: the association between score and outcome, 547
 Goodson, C. *see* Twigg, S.J.
 Goodwin, D.S. *see* Smith, A.F.
 Goodwin, N., Strong, P.J., Sudhir, G., Wilkes, A.R. and Hall, J.E. Effect of breathing low concentrations of volatile anaesthetic agents on incidence of adverse airway events, 955
 Goodwin, N., Wilkes, A., Hall, J.E., Hill, S. and Bray, C. Strength of disposable laryngoscope blades, 630
 Gordon, A. *see* Szawarski, P.
 Gordon, A.C., Oakervee, H.E., Kaya, B., Thomas, J.M., Barnett, M.J., Rohatiner, A.Z.S., Lister, T.A., Cavenagh, J.D. and Hinds, C.J. Incidence and outcome of critical illness amongst hospitalised patients with haematological malignancy: a prospective observational study of ward and intensive care unit based care, 340
 Gorelov, V. Calibration of vaporisers, 420
 Gottschalk, L.I. *see* Pivalizza, E.G.
 Gottschling, S., Meyer, S., Krenn, T., Kleinschmidt, S., Reinhard, H., Graf, N. and Shamdeen, G.M. Effects of short-term propofol administration on pancreatic enzymes and triglyceride levels in children, 660
 Gradwell, D.P., Risdall, J.E., Humphreys, S. and Deyermann, R. Effect of high altitude commercial air travel on oxygen saturation, 929
 Graf, N. *see* Gottschling, S.
 Graf, S. *see* Klasen, J.
 de Gray, L.C. and Matta, B.F. Acute and chronic pain following craniotomy: a review, 693
 Greaves, D. *see* Sandhu, S.
 Green, A. *see* Bennett, M.W.
 Green, J.S. *see* Anderson, K.J.
 Green, R. and Ball, A. Alpha-agonists for the treatment of anaphylactic shock, 621
 Green, R. *see* Frova, G.
 Greenhalgh, C. and Wildsmith, J.A.W. A response to 'Conscious sedation for dental treatment' [1], 524
 Greenwood, J. Generic machine checks, 1248
 Grieve, R.O.S. *see* Webster, C.S.
 Groba, C.B. *see* Thorning, G.P.
 Grobbee, D.E. *see* van den Bosch, J.E.
 Groeneveld, A.B.J. *see* Venker, J.
 Gronolo, A. A response to 'Routine pre-oxygenation – a new "minimum standard" of care?', 945
 Grundy, E.M. *see* McGlennan, A.P.
 Gümuş, H. *see* Sayin, M.M.
 Gürke, L. *see* Filipovic, M.
 Gustafson, A.C. *see* Naja, M.Z.
 Haas, M. *see* Klasen, J.
 Halbertsma, F.J.J. and van der Hoeven, J.G. Lung recruitment during mechanical positive pressure ventilation in the PICU: what can be learned from the literature?, 779
 Halbig, S. *see* Byhahn, C.
 Hall, A.P. and Russell, W.C. Toward safer central venous access: ultrasound guidance and sound advice, 1
 Hall, A.P. *see* Ho, A.M.-H.
 Hall, J.E. and Diaz-Navarro, C. Living with the European Clinical Trials Directive: one year on, 949

Hall, J.E. *see* Bowrey, S.
Hall, J.E. *see* Cann, C.
Hall, J.E. *see* Evans, A.
Hall, J.E. *see* Fayaz, K.M.
Hall, J.E. *see* Frova, G.
Hall, J.E. *see* Goodwin, N.
Hall, J.E. *see* Jones, R.M.
Hall, J.E. *see* Rassam, S.
Hall, J.E. *see* Stacey, M.R.
Hall, J.E. *see* Sudheer, P.S.
Hall, J.M. and Roberts, F.L. An investigation into the reduction in flow rate of intravenous fluid by antireflux valves, 797
Hall, J.M. *see* English, W.A.
Hallworth, S. *see* McNaught, A.
Hamer, J. *see* Bowrey, S.
Hanafiah, Z. *see* Barnett, N.
Hancock, S.M., Eastwood, J.R. and Mahajan, R.P. Effects of inhaled nitrous oxide 50% on estimated cerebral perfusion pressure and zero flow pressure in healthy volunteers, 129
Hancock, S.M. *see* Athanassiou, L.
Hannah, P. *see* Harten, J.M.
Hannah, P. *see* McNaught, A.
Hanss, R. *see* Bein, B.
Harbach, H. *see* Klasen, J.
Hardman, J.G. *see* McNamara, M.J.
Hari, M.S., Jennings, M. and Mitton, M. Flow sensor fault causing ventilator malfunction, 1049
Harmer, M. *see* Cann, C.
Harmer, M. *see* Shaaban Ali, M.
Harmer, M. *see* Vickers, M.
Harmer, M. Shipman and the Anaesthetist, 111
Harnett, M.J.P., Hepner, D.L., Datta, S. and Kodali, B.S. Effect of amniotic fluid on coagulation and platelet function in pregnancy: an evaluation using thromboelastography, 1068
Harries, S.E. *see* Collis, R.E.
Hart, J. *see* Higgins, D.J.
Harten, J. *see* McNaught, A.
Harten, J.M., Boyne, I., Hannah, P., Varveris, D. and Brown, A. Effects of a height and weight adjusted dose of local anaesthetic for spinal anaesthesia for elective Caesarean section, 348
Hartle, A.J. and Reynolds, F. What babies want, 1241
Harvey, K. *see* Cann, C.
Hasencler, P. *see* Weiss, M.
Haslam, N., Parker, L. and Duggan, J.E. Effect of cricoid pressure on the view at laryngoscopy, 41
Haughton, A.J. *see* Weller, J.M.
Häusler, R. *see* Kindler, C.H.
Healy, D. *see* Frova, G.
Healy, M. *see* Sundaram, R.
Heard, A.M.B. *see* Berridge, P.D.R.
Heidegger, T. *see* Gerig, H.J.
Hellstern, A. *see* Schmidt, G.N.
Hempelmann, G. *see* Klasen, J.
Hepner, D.L. *see* Harnett, M.J.P.
Hepp, M. *see* Paech, M.J.
Herbstreit, F. and Peters, J. Spinal anaesthesia despite combined clopidogrel and aspirin therapy in a patient awaiting lung transplantation: effects of platelet transfusion on clotting tests, 85
Hermon-Taylor, A.C. *see* Batas, D.
Hicks, I. *see* Mellor, A.
Higgins, D. *see* Bunker, N.
Higgins, D.J., Bunker, N.J., Hart, J. and Stonier, P.D. Dolasetron and peri-operative cardiac arrhythmia, 936
Higgins, P.C. and Ravalia, A. Interpleural anaesthesia for mastectomy, 1150
Higgs, A. and Vijayanand, P. Prophylactic percutaneous tracheal catheterisation, 1245
Higgs, A., Clark, E. and Premraj, K. Low-skill fibreoptic intubation: use of the Aintree Catheter with the classic LMA, 915
Hildreth, A. *see* Lane, S.
Hildreth, A.J. *see* Padmanabhan, R.
Hill, D.A. *see* Blair, J.M.
Hill, J. *see* McArthur, J.
Hill, S. *see* Goodwin, N.
Hillis, G.S. *see* Cuthbertson, B.H.
Hind, D. *see* Scott, D.H.T.
Hinds, C.J. *see* Gordon, A.C.
Hinkka, S. *see* Maksimow, A.
Hipp, C. *see* Schmidt, G.N.
Hirsch, N., Beckett, A., Collinge, J., Scaravilli, F., Tabrizi, S. and Berry, S. Lymphocyte contamination of laryngoscope blades – a possible vector for transmission of variant Creutzfeldt-Jakob disease, 664
Hirsch, N. *see* Barnett, N.
Hirsch, N.P. *see* Wilson, S.R.
Ho, A.M.-H., Dion, P.W., Karmakar, M.K. and Jenkins, C.R. Accuracy of central venous pressure monitoring during simultaneous continuous infusion through the same catheter, 1027
Ho, A.M.-H., Jenkins, C.R., Karmakar, M.K., McShane, A.J., Strandvik, G., Mayall, M., Hall, A.P. and Russell, W.C. Safer central venous access, 617
Ho, A.M.-H. *see* Scott, D.H.T.
Ho, W.-M., Hung, W.T., Wu, C.C., Shen, C.H., Yang, N.C., Hwang, K.L. and Wong, K.C. Application of MVBC equation to predict mixed venous blood concentrations of sevoflurane in cardiac anaesthesia, 882
Hoda, M.Q. *see* Khan, F.A.
Hodgson, R. A response to 'Emergency cricothyrotomy: a randomized crossover trial comparing the wire-guided and catheter-overneedle techniques'. Fikkens BG, van Vugt S, van der Hoeven JC, van den Hoogen FJA, Marres HAM. *Anaesthesia* 2004; **59**: 1008-11, 105
Hodzovic, I. *see* Frova, G.
van der Hoeven, J.G. *see* Berridge, P.D.R.
van der Hoeven, J.G. *see* Borg, P.
van der Hoeven, J.G. *see* Halbertsma, F.J.J.
Hoffmann, M. *see* Welsby, I.J.
Holden, J. *see* McArthur, J.
Hong, J.-Y. and Lee, I.H. Comparison of the effects of intrathecal morphine and pethidine on shivering after Caesarean delivery under combined-spinal epidural anaesthesia, 1168
van den Hoogen, F.J.A. *see* Berridge, P.D.R.
van den Hoogen, F.J.A. *see* Borg, P.
Hough, M.B. *see* Chambers, J.C.
Huang, G.H., Davidson, A.J. and Stargatt, R. Dreaming during anaesthesia in children: incidence, nature and associations, 854
Huber-Lang, M., Brinkmann, A., Straeter, J., Beck, A., Gauss, A. and Gebhard, F. An unusual case of early fulminant post-traumatic fat embolism syndrome, 1141
Hughes, K. *see* O'Callaghan, D.J.P.
Hulme, J. *see* Lang, W.
Humphreys, S., Deyermont, R., Bali, I., Stevenson, M. and Fee, J.P.H. The effect of high altitude commercial air travel on oxygen saturation, 458

Humphreys, S. *see* Dowdall, N.
 Humpreys, S. *see* Gradwell, D.P.
 Hung, W.T. *see* Ho, W.-M.
 Hurst, T., Blanckley, S., Forrest, M., Lawton, G., Sigston, P. and Udy, A. Recombinant Factor VIIa in blunt pelvic trauma, 1244
 Hutton, J. *see* Davies, A.
 Hwang, K.L. *see* Ho, W.-M.
 Imray, C. *see* Pattinson, K.
 Inoue, H. *see* Okuda, Y.
 Inoue, S. *see* Fujise, K.
 Iossifidis, F. *see* Li, A.M.M.Y.
 Irwin, M.G. *see* Wong, A.Y.C.
 Jääskeläinen, S. *see* Maksimow, A.
 Jabbour, H. *see* Jochum, D.
 Jackson, E. *see* White, M.L.
 Jain, S. *see* Agarwal, A.
 Jakobsson, J.G. *see* Tirén, C.
 Jani, S.J., McCluskey, A. and Milward, G. Failure of an intravenous cannula, 1247
 Jani, S.J. *see* Ballin, M.S.
 Jayasekera, N., Moghal, A., Kashif, F. and Karalliedde, L. Herbal medicines and postoperative haemorrhage, 725
 Jefferson, P. *see* Ball, D.R.
 Jefferson, P. *see* Christie, D.
 Jeger, R.V. *see* Filipovic, M.
 Jenkins, C.R. *see* Ho, A.M.-H.
 Jenkins, J.G. *see* Rahman, K.
 Jenni, R. *see* Bein, B.
 Jennings, M. *see* Hari, M.S.
 Jochum, D., O'Neill, T., Jabbour, H., Diarra, P.D., Cuignet-Pourel, E. and Bouaziz, H. Evaluation of femoral nerve blockade following inguinal paravascular block of Winnie: are there still lessons to be learnt?, 974
 Johnston, M. *see* Rattray, J.E.
 Jolly, B. *see* Weller, J.M.
 Jones, P.L. *see* Jones, R.M.
 Jones, P.S. *see* Sundaram, R.
 Jones, R.M., Jones, P.L., Gildersleeve, C.D., Hall, J.E. and Manners, N. The Cardiff paediatric laryngoscope and its 'non-conforming' siblings, 721
 Jones, T.M. and Bodenham, A.R. Percutaneous cervical pharyngostomy: a traditional technique revisited, 1031
 Jordan, G. *see* Trümpelmann, P.
 Joseph, M. *see* Weller, J.M.
 Joynt, G.M. *see* Scott, D.H.T.
 Jozkow, P. *see* Dickerman, R.D.
 Jozkow, P. *see* Medras, M.
 Jürgensen, I. *see* Klasen, J.
 Kaisti, K. *see* Maksimow, A.
 Kalkman, C.J. *see* van den Bosch, J.E.
 Kam, P.C.A. and Yarrow, M. Anabolic steroid abuse: physiological and anaesthetic considerations, 685
 Kam, P.C.A., Kaur, N. and Thong, C.L. Direct thrombin inhibitors: pharmacology and clinical relevance, 565
 Kam, P.C.A. *see* Cheah, M.H.
 Kamata, K. *see* Komatsu, R.
 Kanagaratnam, P. *see* Kojodjojo, P.
 Kanata, K. *see* Nakatani, T.
 Kannan, S. Another use for ultrasound in the ICU, 944
 Kansal, A., Mohta, M., Sethi, A.K., Tyagi, A. and Kumar, P. Randomised trial of intravenous infusion of ephedrine or mephentermine for management of hypotension during spinal anaesthesia for Caesarean section, 28
 Kapoor, V. *see* Norman, J.
 Karalliedde, L. *see* Jayasekera, N.
 Karmakar, M.K. *see* Ho, A.M.-H.
 Karmakar, M.K. *see* Scott, D.H.T.
 Kartha, V., Barker, K. and Mackenzie, I. Patient choice vs. finite resources, 1149
 Kashif, F. *see* Jayasekera, N.
 Kathawaroo, S. *see* Dalgleish, D.
 Katyal, S. *see* Sood, D.
 Kaul, T.K. *see* Sood, D.
 Kaur, N. *see* Kam, P.C.A.
 Kaya, B. *see* Gordon, A.C.
 Kaya, N. *see* Sayin, M.M.
 Keays, R. *see* Tillyard, A.
 Keifer, J.C. *see* MacLeod, D.B.
 Kelly, F.E., Murdoch, J.A., Sanders, D.J. and Berrisford, R.G. Continuous paravertebral block for thoraco-abdominal oesophageal surgery, 98
 Kenny, G. *see* Wildsmith, J.A.W.
 Kenny, G.N.C. *see* Anderson, K.J.
 Kenyon, D. *see* Bhimarsetty, C.
 Kerridge, R. *see* Wolfenden, L.
 Khan, F.A. and Hoda, M.Q. Drug related critical incidents, 48
 Khoo, K. *see* Brosnan, C.
 Kilner, A.J. *see* Cosgrove, J.F.
 Kilonzo, M. *see* Cuthbertson, B.H.
 Kindgen-Milles, D. *see* Ackroyd, C.R.
 Kindgen-Milles, D. *see* Obal, D.
 Kindler, C.H., Szirt, L., Sommer, D., Häusler, R. and Langewitz, W. A quantitative analysis of anaesthetist–patient communication during the pre-operative visit, 53
 King, A.T. *see* Childs, C.
 King, C. Postoperative analgesia in rebel territory in Côte d'Ivoire, 419
 King, D. *see* Bunker, N.
 King, R., Bretland, M., Wilkes, A. and Dingley, J. Xenon measurement in breathing systems: a comparison of ultrasonic and thermal conductivity methods, 1226
 Kinkle, W.C. *see* Levitan, R.M.
 Kinsella, S.M. and Daley, C. Warning of previous anaesthetic problems, 821
 Kirkham, F. *see* Shaaban Ali, M.
 Kitson, R. and Carr, B. Tramadol and severe serotonin syndrome, 934
 Klasen, J., Haas, M., Graf, S., Harbach, H., Quinzio, L., Jürgensen, I. and Hempelmann, G. Impact on postoperative pain of long-lasting pre-emptive epidural analgesia before total hip replacement: a prospective, randomised, double-blind study, 118
 Kleinschmidt, S. *see* Gottschling, S.
 Kluger, M.T. *see* Abeysekera, A.
 Knight, J. *see* Wolfenden, L.
 Kodali, B.S. *see* Harnett, M.J.P.
 Koga, K. *see* Asai, T.
 Kojodjojo, P., Kanagaratnam, P., Davies, D.W., Peters, N.S. and Markides, V. Role of electrophysiological study and ablation in the management of recurrent atrial flutter associated with haemodynamic compromise in a critically ill patient, 505
 Komatsu, R., Nagata, O., Kamata, K., Yamagata, K., Sessler, D.I. and Ozaki, M. Comparison of the intubating laryngeal mask

airway and laryngeal tube placement during manual in-line stabilisation of the neck, 113

Koteeswaran, S.K. *see* Sundaram, R.

Kozek-Langenecker, S.A. *see* Thaler, U.

Krenn, T. *see* Gottschling, S.

Krishnan, K., Elliot, S.C. and Mallick, A. The current practice of tracheostomy in the United Kingdom: a postal survey, 360

Kumar, M. *see* Agarwal, A.

Kumar, P. *see* Kansal, A.

Kuno, Y. *see* Okuda, Y.

Kuper, M. *see* Theaker, C.

Kuppurao, L. *see* Thomas, R.C.

Kuvaki, B. *see* Tuncali, B.E.

Lahoud, G. and Averley, P. Conscious sedation for children, 199

Lake, A.P.J. Unstable blood pressure after previous radical neck dissection, 822

Lakra, A. *see* Agarwal, A.

Lane, S., Evans, P., Arfeen, Z. and Misra, U. A comparison of intrathecal fentanyl and diamorphine as adjuncts in spinal anaesthesia for Caesarean section, 453

Lane, S., Saunders, D., Schofield, A., Padmanabhan, R., Hildreth, A. and Laws, D. A prospective, randomised controlled trial comparing the efficacy of pre-oxygenation in the 20° head-up *vs* supine position, 1064

Lang, S.A., Saito, T., Naja, M.Z. and Lönnqvist, P.A. Thoracic paravertebral nerve block, nerve stimulator guidance and the endothoracic fascia, 930

Lang, W. and Hulme, J. A response to 'Severe lactic acidosis following alcohol related generalised seizures', 300

Langewitz, W. *see* Kindler, C.H.

Langford, R.A. Damage to armoured tracheal tubes by CUSA, 1251

Lankenau, G. *see* Schmidt, G.N.

Lapp, W. *see* Böttiger, B.W.

Larsen, P.D. *see* Weller, J.M.

Latto, I.P. *see* Frova, G.

Latto, I.P. *see* Stacey, M.R.

Laurent, S.C. Prevention of bleeding from sites of regional anaesthesia injection, 827

Laws, D. *see* Lane, S.

Laws, D. *see* Padmanabhan, R.

Lawson, J.H. *see* Welsby, I.J.

Lawton, G. *see* Hurst, T.

Lawton, G. *see* Udy, A.

Layug, E.L. *see* Böttiger, B.W.

Lebuffe, G., Dosseh, E.D., Tek, G., Tytgat, H., Moreno, S., Tavernier, B., Vallet, B. and Proye, C.A.G. The effect of calcium channel blockers on outcome following the surgical treatment of phaeochromocytomas and paragangliomas, 439

Lee, B.B. Nasotracheal intubation and previous palatal or pharyngeal surgery, 204

Lee, I.H. *see* Hong, J.-Y.

Lee, M.C. and Menon, D.K. Sublingual drug delivery during functional magnetic resonance imaging, 821

Leitch, J. *see* Wildsmith, J.A.W.

Leitch, J.A. *see* Anderson, K.J.

Lenoir, R.J. Preventing leaks during positive pressure ventilation via the laryngeal mask airway, 1154

Leslie, K., Myles, P.S., Forbes, A., Chan, M.T.V., Swallow, S.K. and Short, T.G. Dreaming during anaesthesia in patients at high risk of awareness, 239

Levitin, R.M. and Kinkle, W.C. Initial anatomic investigations of the I-gel airway: a novel supraglottic airway without inflatable cuff, 1022

Levy, D.M. Two late-onset postdural puncture headaches, 722

Levy, N. Gel pads for the difficult airway trolley, 102

Li, A.M.M.Y., Angadi, P.S., Iossifidis, F. and Morley, A.M. Failure of a dual-cannula tracheostomy tube, 940

Lim, S.-M. and Webb, S.A.R. Nosocomial bacterial infections in Intensive Care Units. I: Organisms and mechanisms of antibiotic resistance, 887

Lim, T.J., Lim, Y. and Liu, E.H.C. Evaluation of ease of intubation with the GlideScope® or Macintosh laryngoscope by anaesthetists in simulated easy and difficult laryngoscopy, 180

Lim, Y. *see* Lim, T.J.

Ling, A. *see* Patel, N.

Ling, A. *see* Fletcher, S.J., 206

Lischke, V. *see* Byhahn, C.

Lister, T.A. *see* Gordon, A.C.

Liu, E.H.C. *see* Lim, T.J.

Longhorn, R.K. *see* Berridge, P.D.R.

Longmate, A. and Edwards, D. Failure of a resuscitation bag and mask, 942

Longmate, A. and Mallice, M. Foreign body in haemofiltration equipment, 632

Lönnqvist, P.A. *see* Lang, S.A.

Lönnqvist, P.A. *see* Naja, M.Z.

Lowe, J. *see* Cook, T.M.

Lowe, J.M. *see* Cook, T.M.

Lunn, J.N., Filipovic, M. and Seeberger, M.D. There is nothing new under the sun, 510

Mackenzie, I. *see* Kartha, V.

Mackenzie-Ross, R. *see* Poultney, B.

Mackie, I. *see* Coakley, M.

MacLeod, D.B., Cortinez, L.I., Keifer, J.C., Cameron, D., Wright, D.R., White, W.D., Moretti, E.W., Radulescu, L.R. and Somma, J. The desaturation response time of finger pulse oximeters during mild hypothermia, 65

Mäenpää, M. *see* Maksimow, A.

Maguire, M. *see* Cherian, A.

Mahajan, R.P. *see* Athanassiou, L.

Mahajan, R.P. *see* Hancock, S.M.

Maino, P., Dullenkopf, A., Bernet, V. and Weiss, M. Nitrous oxide diffusion into the cuffs of disposable laryngeal mask airways, 278

Maino, P. *see* Bernet, V.

Makker, R. *see* Navarange, S.

Maksimow, A., Kaisti, K., Aalto, S., Mäenpää, M., Jääskeläinen, S., Hinck, S., Martens, S., Särkelä, M., Viertö-Oja, H. and Scheinin, H. Correlation of EEG spectral entropy with regional cerebral blood flow during sevoflurane and propofol anaesthesia, 862

Malhotra, N. Use of a tracheal tube exchanger for submento-tracheal intubation, 828

Mallett, S.V. *see* Coakley, M.

Mallice, M. *see* Longmate, A.

Mallick, A. *see* Bunker, N.

Mallick, A. *see* Krishnan, K.

Manara, A.R. *see* McCormick, B.

Mandersloot, G. *see* Goldhill, D.R.

Manganaro, D.T. *see* Böttiger, B.W.

Mankuta, D. *see* Weiniger, C.F.

Manners, N. *see* Jones, R.M.

Manyande, A. *see* Zhang, X.W.

Mapleson, W.W. *see* Frova, G.

Marchant, A.E. *see* Thomas, A.N.

Marchant, W. *see* Coakley, M.

Markides, V. *see* Kojodjojo, P.
 Marres, H.A.M. *see* Berridge, P.D.R.
 Marres, H.A.M. *see* Borg, P.
 Martens, S. *see* Maksimow, A.
 Martin, E. *see* Böttiger, B.W.
 Martinez-Garcia, E., Pelaez, E., Roman, J.C. and Perez-Gallardo, A. Transverse myelitis following general and epidural anaesthesia in a paediatric patient, 921
 Mason, S.A. Obituary, 92
 Matsumoto, S. *see* Asai, T.
 Matta, B.F. *see* de Gray, L.C.
 Mayall, M. *see* Berridge, P.D.R.
 Mayall, M. *see* Ho, A.M.-H.
 Mayburt, E. *see* Beilm, B.
 Mazzeo, A. *see* Fodale, V.
 Mc Donnell, C.G., Shorten, G. and Van Pelt, F.N.A.M. Effect of atorvastatin and fluvastatin on the metabolism of midazolam by cytochrome P450 *in vitro*, 747
 McAllister, C. *see* Morris, C.
 McArthur, J., Hill, J., Paech, M.J., Dodd, P.H., Bennett, E.-J. and Holden, J. Cerebrospinal fluid and serum concentrations of betatrace protein during pregnancy, 163
 McAuley, D.F. *see* Sutton, P.J.
 McCluskey, A. *see* Atkinson, D.
 McCluskey, A. *see* Jani, S.J.
 McConathy, W.J. *see* Dickerman, R.D.
 McCormick, B. and Manara, A.R. Mortality from percutaneous dilatational tracheostomy. A report of three cases, 490
 McCracken, G.R. *see* Blair, J.M.
 McDonald, N.I. Early thoughts on 'Why Mothers Die 2000–2002', 510
 McDonald, P. *see* Edsell, M.E.G.
 McGinley, A. *see* Goldhill, D.R.
 McGlennan, A. *see* Chincholkar, M.
 McGlennan, A.P. and Grundy, E.M. Delayed haemolytic transfusion reaction and hyperhaemolysis complicating perioperative blood transfusion in sickle cell disease, 609
 McHugh, G.J. Prescription errors in Intensive Care, 716
 McNamara, M.J. and Hardman, J.G. Hypoxaemia during open-airway apnoea: a computational modelling analysis, 741
 McNarry, A.F. *see* Goldhill, D.R.
 McNaught, A., Hallworth, S., Russell, I.F., Davis, A.G., Harten, J., Boyne, I., Hannah, P., Varveris, D. and Brown, A. Weight adjusted spinal anaesthesia for Caesarean section, 818
 McShane, A.J. *see* Ho, A.M.-H.
 McSwiney, M. *see* Frova, G.
 McWilliams, R. *see* Scott, D.H.T.
 Mecklenburgh, J.S. *see* Rassam, S.
 Medford, A.R.L. A response to 'Alveolar and plasma concentrations of interleukin-8 and vascular endothelial growth factor following oesophagectomy', Cree RTJ, Warnell I, Staunton M, Shaw I, Bullock R, Griffin SM, Baudouin, *Anaesthesia* 2004; **59**: 867–71, 104
 Medras, M., Tworowska, U., Jozkow, P., Dumanski, A. and Dubinski, A. Postoperative course and anabolic-androgenic steroid abuse – a case report, 81
 Medras, M. *see* Dickerman, R.D.
 Meek, T. *see* Picard, J.
 Meek, T. *see* Platt, S.
 Meek, T. *see* Woods, K.
 Meininger, D. *see* Byhahn, C.
 Meininger, D. *see* Dawson, C.M.
 Mellor, A. and Hicks, I. Sevoflurane delivery via the Triservice apparatus, 1151
 Menon, D.K., Taylor, B.L. and Ridley, S.A. on behalf of the Intensive Care Society, UK. Modelling the impact of an influenza pandemic on critical care services in England, 952
 Menon, D.K. *see* Lee, M.C.
 Mensah, J. *see* Cosgrove, J.F.
 Metcalfe, N.H. Military influence upon the development of anaesthesia from the American Civil War (1861–1865) to the outbreak of the First World War, 1213
 Metcalfe, N.H. The influence of the military on civilian uncertainty about modern anaesthesia between its origins in 1846 and the end of the Crimean War in 1856, 594
 Meyer, S. *see* Gottschling, S.
 Miedema, M. *see* Venker, J.
 Millar, B.W. *see* Faber, P.
 Millard, A. *see* Paech, M.J.
 Milner, Q.J.W. *see* Ackroyd, C.R.
 Milward, G. *see* Jani, S.J.
 Milward, G. *see* Rutherford, J.S.
 Milward, G. *see* Twigg, S.J.
 Misra, U. *see* Lane, S.
 Mitchell, J.R. and Gilkes, T.G. Epidural analgesia masking a malfunctioning pneumatic compression device, 207
 Mitton, M. *see* Chambers, J.C.
 Mitton, M. *see* Hari, M.S.
 Mitton, M. *see* Snyders, S.
 Mitton, M. *see* Thorming, G.P.
 Moghal, A. *see* Jayasekera, N.
 Mohta, M. *see* Kansal, A.
 Monroe, D.M. *see* Welsby, I.J.
 Moons, K.G.M. *see* van den Bosch, J.E.
 Moore, K. *see* Wolfenden, L.
 Moore, M., O'Sullivan, G. and Yentis, S. A response to 'Extending low-dose epidural analgesia for emergency Caesarean section using ropivacaine 0.75%', 299
 Moore, S., Glaister, H. and Small, N. Unusually shaped Guedel airways, 723
 Moppett, I.K. *see* English, J.D.
 Moreau, B. *see* Pandit, J.J.
 Moreno, S. *see* Lebuffe, G.
 Moretti, E.W. *see* MacLeod, D.B.
 Morgan, J. *see* Dickerman, R.D.
 Morgan, P. and Byhahn, C. Percutaneous tracheostomy in obese patients, 511
 Morgan, R. *see* Willoughby, L.
 Morley, A.M. *see* Li, A.M.M.Y.
 Morrell, M.J. *see* Pattinson, K.T.S.
 Morris, C. and McAllister, C. Etomidate for emergency anaesthesia: mad, bad and dangerous to know?, 737
 Morris, C. Consent for practising difficult intubation techniques, 205
 Morris, T. *see* Natarajan, A.
 Mort, M. *see* Smith, A.F.
 Motsch, J. *see* Böttiger, B.W.
 Mües, J. *see* da Silva, E.J.
 Mulcahy, A.J. and Yentis, S.M. Management of the unexpected difficult airway, 1147
 Murao, K. *see* Asai, T.
 Murdoch, J.A. *see* Kelly, F.E.
 Murdoch, J.A.C. Emergency tracheal intubation using a gum elastic bougie through a laryngeal mask airway, 626
 Murphy, P.J. *see* Twigg, S.J.

Mutagi, H.S. *see* Bhimarsetty, C.
Myles, P.S. *see* Leslie, K.
Mythen, M. *see* Coakley, M.

Nagata, O. *see* Komatsu, R.
Nahle, N. *see* Zeidan, A.
Naja, M.Z., Gustafson, A.C., Ziade, M.F., El Rajab, M., Al-Tannir, M., Daher, M. and Lönnqvist, P.A. Distance between the skin and the thoracic paravertebral space, 680
Naja, M.Z. *see* Lang, S.A.
Nakatani, T., Saito, Y., Sakura, S. and Kanata, K. Haemodynamic effects of thoracic epidural anaesthesia during induction of anaesthesia: an investigation into the effects of tracheal intubation during target-controlled infusion of propofol, 530
Narula, N. *see* Sood, D.
Natarajan, A., Simpson, D.A., Sanders, G.M. and Morris, T. An unusual complication of a Bivona® Hyperflex tracheostomy tube, 208
Navarange, S., Rathnam, S., Makker, R. and Butler, A. Anaesthesia for vegetarians, 520
Newton, N. *see* Ahmed, I.S.
Ni, K.M. and Watts, J.C. Snippet, 841
Nicholson, T. In response to 'Anaesthetists and sedation in the Radiology Department: involved or left behind?', 946
Noguchi, T. *see* Asai, T.
Norman, J. and Kapoor, V. Holistic care can be dangerous, 829
Nott, M.R. Helium-oxygen for asthma, 1044
Nowicki, R.W. *see* Bennett, M.W.
Nunn, J. Obituary, 727

Oakervee, H.E. *see* Gordon, A.C.
O'Neill, T. *see* Jochum, D.
Obal, D., Kindgen-Milles, D., Schoebel, F. and Schlack, W. Coronary artery angioplasty for treatment of peri-operative myocardial ischaemia, 194
Obal, D. *see* Ackroyd, C.R.
O'Callaghan, D.J.P. and Hughes, K. The hidden dangers of taped jewellery, 829
O'Donohoe, B. *see* Ali, M.A.
Oduro-Dominah, A. *see* Eipe, N.
Ogden, M.C. *see* Thomas, A.N.
Okuda, Y., Inoue, H., Arai, T., Kuno, Y. and Asai, T. Video recording tracheal intubation, 1042
Okuno, S. *see* Fujise, K.
Olmedilla, L. *see* Arnal, D.
Ormrod, J.A., Ryder, T., Chadwick, R.J. and Bonner, S.M. Experiences of families when a relative is diagnosed brain stem dead: understanding of death, observation of brain stem death testing and attitudes to organ donation, 1002
O'Sullivan, G. *see* Moore, M.
Öwall, A. *see* Tirén, C.
Ozaki, M. *see* Komatsu, R.

Padmanabhan, R., Hildreth, A.J. and Laws, D. A prospective, randomised, controlled study examining binaural beat audio and pre-operative anxiety in patients undergoing general anaesthesia for day case surgery, 874
Padmanabhan, R. *see* Lane, S.
Paech, M.J., Tweedie, O., Stannard, K., Hepp, M., Dodd, P., Daly, H., Bennett, E.-J., Millard, A. and Doherty, D.A. Randomised, crossover comparison of the single-use SoftSeal™ and the LMA Unique™ laryngeal mask airways, 354
Paech, M.J. *see* McArthur, J.

Paech, M.J. *see* Rucklidge, M.W.M.
Palayiwa, E. *see* Pandit, J.J.
Palmer, J. A response to 'Routine pre-oxygenation – a new "minimum standard" of care?', 299
Pandey, C.K. *see* Ambesh, S.P.
Pandey, R. *see* Agarwal, A.
Pandit, J.J. and Moreau, B. Interaction of arousal states and low dose halothane on the acute hypercapnic ventilatory response in humans, 139
Pandit, J.J. and Palayiwa, E. Dangers of some single-use in-line carbon dioxide airway adaptors, 622
Pandit, J.J. and Yentis, S.M. *All that glitters... How to assess the value of a scientific paper*, 373
Pandit, J.J. *see* Danha, R.F.
Pandit, J.J. Effect of low dose inhaled anaesthetic agents on the ventilatory response to carbon dioxide in humans: a quantitative review, 461
Pant, K.C. *see* Ambesh, S.P.
Park, C. *see* Batas, D.
Parker, L. *see* Haslam, N.
Parkes, M.J. *see* Pattinson, K.T.S.
Parry, J.G. and Simonsen, M. Oxygen delivery failure, 290
Parsons, A. *see* Bennett, M.W.
Patel, N., Eckersall, S. and Ling, A. False positive 'loss of resistance' syringe, 630
Patel, R.R. *see* Cuthbertson, B.H.
Pathak, D. and Ball, D.R. Choice of cricothyroidotomy equipment, 203
Pattinson, K. and Imray, C. Another double 'tails-up' capnograph, 97
Pattinson, K.T.S., Bowes, M., Wise, R.G., Parkes, M.J. and Morrell, M.J. Evaluation of a non-invasive method of assessing opioid induced respiratory depression, 426
Patwardhan, A. *see* Awsare, A.N.
Pawar, S. *see* Agarwal, A.
Peden, C.J. Anaesthetists and Sedation in the Radiology Department: Involved or left behind?, 423
Pelaez, E. *see* Martinez-Garcia, E.
Perez-Gallardo, A. *see* Martinez-Garcia, E.
Perez-Peña, J. *see* Arnal, D.
Perkins, C.L. *see* Sutton, P.J.
Perkins, V. and Tallach, R. A response to 'Conversion reaction following anaesthesia', Haden RA. *Anaesthesia* 2004; 59: 728–9, 105
Perry, R.H. *see* Sharwood-Smith, G.H.
Peters, J. *see* Herbstreit, F.
Peters, N.S. *see* Kojodjojo, P.
Peyton, P.J. and Robinson, G.J.B. Measured pulmonary oxygen consumption: difference between systemic oxygen uptake measured by the reverse Fick method and indirect calorimetry in cardiac surgery, 146
Pfisterer, M. *see* Filipovic, M.
Philp, S. *see* Sanderson, P.M.
Picard, J. and Meek, T. A response to 'Lipid emulsion to treat bupivacaine toxicity', 1158
Picton, P. *see* Reid, J.
Pillai, P. and Spears, F.D. Intra-operative diagnosis of hypopituitarism in a patient undergoing radical nephrectomy, 924
Pinto, G. *see* Bilotta, F.
Piper, S.N. *see* Röhm, K.D.
Pivalizza, E.G. and Gottschalk, L.I. A response to 'Spinal anaesthesia despite combined clopidogrel and aspirin therapy in a patient awaiting lung transplantation: effects of platelet transfusion on clotting tests', 301

Plaat, F. *see* Bojah, H.

Platt, S., Aldory, M., Meek, T. and Cooper, D. Single-use laryngeal masks for the management of unexpected failed intubation, 1153

Poelaert, J. *see* Amà, R.

Polat, U.C. *see* Sayin, M.M.

Pollak, A. *see* Eid, L.

Pollock, K.M. *see* Berridge, P.D.R.

Poon, W.T. *see* Chui, J.S.W.

Popat, M.T. *see* Danha, R.F.

Pope, C. *see* Smith, A.F.

Poulton, B., Ridley, S., Mackenzie-Ross, R. and Rizvi, S. Variation in end-of-life decision making between critical care consultants, 1101

Prasad, K. *see* Barker, J.M.

Prasad, R.R. *see* Dubey, P.

Praticò, C. *see* Fodale, V.

Premraj, K. *see* Higgs, A.

Probst, C. *see* Filipovic, M.

Protheroe, R. *see* Childs, C.

Proye, C.A.G. *see* Lebuffe, G.

Pryn, A. and Young, S. Intrathecal diamorphine, 820

Pugh, S. *see* Fayaz, K.M.

Quinn, B. *see* Cook, T.M.

Quinn, B. The CobraPLA – a response from the manufacturer, 817

Quinzio, L. *see* Klasen, J.

Radulescu, L.R. *see* MacLeod, D.B.

Rahman, K. and Jenkins, J.G. Failed tracheal intubation in obstetrics: no more frequent but still managed badly, 168

Rai, M.R., Dering, A. and Verghese, C. The Glidescope® system: a clinical assessment of performance, 60

Rani, E. *see* Beilin, B.

Ranjan, R. *see* Agarwal, A.

Rassam, S., Sandby-Thomas, M., Vaughan, R.S. and Hall, J.E. Airway management before, during and after extubation: a survey of practice in the United Kingdom and Ireland, 995

Rassam, S., Wilkes, A.R., Hall, J.E. and Mecklenburgh, J.S. A comparison of 20 laryngoscope blades using an intubating manikin: visual analogue scores and forces exerted during laryngoscopy, 384

Rassam, S. *see* Stacey, M.R.

Rathinam, S. *see* Navarange, S.

Rattray, J.E., Johnston, M. and Wildsmith, J.A.W. Predictors of emotional outcomes of intensive care, 1085

Ravalia, A. *see* Higgins, P.C.

Razvi, S.A.H. A live 'foreign body' in an anaesthetic circuit, 102

Read, G.F. *see* Sudheer, P.S.

Reavley, P. A response to 'Toward safer central venous access: ultrasound guidance and advice', 524

Reay, J. *see* Whitcombe, A.

Redpath, M.S. *see* Thomas, R.C.

Reid, J. and Picton, P. CPAP facilitates sedation of patients with obstructive sleep apnoea, 941

Reid, S. and Falconer, R. A novel method of nasogastric tube insertion, 1154

Reinhard, H. *see* Gottschling, S.

Renner, J. *see* Bein, B.

Reynolds, F. and Seed, P.T. Anaesthesia for Caesarean section and neonatal acid-base status: a meta-analysis, 636

Reynolds, F. *see* Collis, R.E.

Reynolds, F. *see* Hartle, A.J.

Reynolds, F. Hand positions and the 'son-of-Doughty' technique, 717

Richardson, A.M.T. *see* Atkinson, D.

Ridley, S. *see* Davies, A.

Ridley, S.A. *see* Menon, D.K.

Riechmann, J. *see* Röhm, K.D.

Ringrose, D. *see* Webb, C.

Risdall, J.E. *see* Gradwell, D.P.

Rissel, C. *see* Wolfenden, L.

Rizvi, S. *see* Poulton, B.

Roberts, F.L. *see* Hall, J.M.

Roberts, H.S., Self, R.J. and Coxon, M. An unusual complication of hand hygiene, 100

Robins, K., Saravanan, S. and Watkins, E.J. Ankylosing spondylitis and epidural haematoma, 624

Robinson, B.J. *see* Weller, J.M.

Robinson, G.J.B. *see* Peyton, P.J.

Rohatiner, A.Z.S. *see* Gordon, A.C.

Röhm, K.D., Riechmann, J., Boldt, J., Schuler, S., Suttner, S.W. and Piper, S.N. Physostigmine for the prevention of postanaesthetic shivering following general anaesthesia – a placebo-controlled comparison with nefopam, 433

Rollin, A.-M. Risk assessment in anaesthesia, 1051

Roman, J.C. *see* Martinez-Garcia, E.

Ronald, A. *see* Faber, P.

Ronald, A. Another cause of obstruction of a 'shared airway', 209

Roosens, C. *see* Amà, R.

Rosa, G. *see* Bilotta, F.

Rosen, M. *see* Cann, C.

Rowbottom, A.W. *see* Sudheer, P.S.

Rubin, A.P. Loss of resistance syringes, 826

Rucklidge, M.W.M., Paech, M.J. and Yentis, S.M. A comparison of the lateral, Oxford and sitting positions for performing combined spinal-epidural anaesthesia for elective Caesarean section, 535

Rudie, J. *see* Sanderson, P.M.

Rudolph, C., Schneider, J.P., Wallenborn, J. and Schaffranietz, L. Movement of the upper cervical spine during laryngoscopy: a comparison of the Bonfils intubation fibrescope and the Macintosh laryngoscope, 668

Russell, I.F. *see* McNaught, A.

Russell, L., Bein, B., Worthmann, F., Scholz, J., Brinkmann, F., Tonner, P.H., Steinbath, M. and Doerges, V. Difficult airway management, 202

Russell, R. The need for epidural wings, 1048

Russell, W.C. *see* Hall, A.P.

Russell, W.C. *see* Ho, A.M.-H.

Russell, W.J. *see* Sanderson, P.M.

Rutherford, J.S. and Milward, G. Effect of propofol on plastic components, 1046

Ryan, D.W. *see* Sandhu, S.

Ryder, T. *see* Ormrod, J.A.

Sagadai, S. and Umakanth, P. Colour coding prefilled syringes, 628

Saha, B., Thomas, A.N. and Tufchi, A. Interchangeable oxygen and carbon dioxide in oxygen cylinders, 827

Saito, T. *see* Lang, S.A.

Saito, Y. *see* Nakatani, T.

Sakura, S. *see* Nakatani, T.

Sandby-Thomas, M. *see* Rassam, S.

Sanders, D.J. *see* English, W.A.

Sanders, D.J. *see* Kelly, F.E.

Sanders, G.M. *see* Natarajan, A.
Sanderson, P.M., Tosh, N., Philp, S., Rudie, J., Watson, M.O. and Russell, W.J. The effects of ambient music on simulated anaesthesia monitoring, 1073
Sandhu, S., Clarke, T.N.S., Greaves, D. and Ryan, D.W. Transient paralysis after administration of a single dose of cyclizine, 1235
Santamaría, L.B. *see* Fodale, V.
Sapra, H. and Farling, P. A response to 'The Glidescope® system: a clinical assessment of performance', 524
Saravanan, S. *see* Robins, K.
Sarkar, S. Use of animal products in vegetarians and others, 519
Särkelä, M. *see* Maksimow, A.
Sathishkumar, S. and Dodd, P. Use of a blunt drawing-up needle for ilio-inguinal blocks, 1250
Saunders, D. *see* Lane, S.
Saxena, A.K. *see* Ghai, B.
Saxena, A.K. 'Low' femoral vein puncture, 98
Sayin, M.M., Akkaya, T., Kaya, N., Sekerci, S., Polat, U.C. and Güneş, H. Positioning-induced lichen planus, 829
Scaravilli, F. *see* Hirsch, N.
Schaffranietz, L. *see* Rudolph, C.
Schaller, F. *see* Dickerman, R.D.
Scheinin, H. *see* Maksimow, A.
Schlack, W. *see* Ackroyd, C.R.
Schlack, W. *see* Obal, D.
Schmid, E.R. *see* Baulig, W.
Schmid, E.R. *see* Bein, B.
Schmidlin, D. *see* Baulig, W.
Schmidte, G.N., Bischoff, P., Standl, T., Lankenau, G., Hellstern, A., Hipp, C. and Schulte am Esch, J. SNAP index and Bispectral index during different states of propofol/remifentanil anaesthesia, 228
Schneider, J.P. *see* Rudolph, C.
Schnider, T. *see* Gerig, H.J.
Schoebel, F. *see* Ackroyd, C.R.
Schoebel, F. *see* Obal, D.
Schofield, A. *see* Lane, S.
Scholz, J. *see* Bein, B.
Scholz, J. *see* Russell, L.
Schuler, S. *see* Röhm, K.J.
Schulte am Esch, J. *see* Schmidt, G.N.
Schweizer, M. *see* Böttiger, B.W.
Scott, D.H.T., Ho, A.M.-H., Joynt, G.M., Karmakar, M.K., Cohen, A.M., Calvert, N., Hind, D., McWilliams, R. and Thomas, S.M. Ultrasound for central venous cannulation: economic evaluation of cost effectiveness, 407
Scott, D.H.T. *see* Evans, A.
Scott, J. *see* Cuthbertson, B.H.
Scott, P.V. Routine pre-oxygenation, 719
Sear, J.W. *see* Biccard, B.M.
Seeberger, M.D. *see* Filipovic, M.
Seeberger, M.D. *see* Lunn, J.N.
Seed, P.T. *see* Reynolds, F.
Segers, P. *see* Amà, R.
Şekerci, S. *see* Sayin, M.M.
Self, R. *see* Coakley, M.
Self, R.J. *see* Roberts, H.S.
Sellers, W. *see* da Silva, E.J.
Senhadji, L. *see* Tirel, O.
Seow, S.C. *see* Chin, K.J.
Sessler, D.I. *see* Komatsu, R.
Sethi, A.K. *see* Kansal, A.
Shaaban Ali, M., Harmer, M. and Kirkham, F. Cardiopulmonary bypass temperature and brain function, 365
Shamdeen, G.M. *see* Gottschling, S.
Sharma, A. *see* Galloway, S.
Sharwood Smith, M. *see* Sharwood-Smith, G.H.
Sharwood-Smith, G.H., Sharwood Smith, M., Perry, R.H., Friselle, H.P. and Webster, C.S. Transient fixation on a non-native language associated with anaesthesia, 712
Shen, C.H. *see* Ho, W.-M.
Shingu, K. *see* Asai, T.
Shingu, K. *see* Fujise, K.
Shirley, P.J. Prehospital airway management by paramedics, 204
Short, T.G. *see* Abeysekera, A.
Short, T.G. *see* Leslie, K.
Shorten, G. *see* Mc Donnell, C.G.
Sigston, P. *see* Geoghegan, J.
Sigston, P. *see* Hurst, T.
Sigston, P. *see* Udy, A.
Silsby, J. *see* Cook, T.M.
da Silva, E.J., Burnell, S.H., Mües, J. and Sellers, W. Carbon dioxide in the cuffs of laryngeal mask airways, 519
Simanski, C.J.P. *see* Fischer, H.B.J.
Simonsen, M. *see* Parry, J.G.
Simpson, D.A. *see* Natarajan, A.
Simpson, T.P. *see* Cook, T.M.
Singh, P.K. *see* Agarwal, A.
Singh, P.K. *see* Ambesh, S.P.
Singh, U. *see* Agarwal, A.
Singhal, V. *see* Agarwal, A.
Sivasankar, R. *see* Stacey, M.R.
Skinner, T.A.J. *see* Cameron, A.J.D.
Small, N. *see* Moore, S.
Smith, A.F., Goodwin, D.S., Mort, M., Pope, C., Beatty, P. and Beatty, S. Anaesthetists' violations of safety guidelines, 201
Smith, A.F. Anaesthetic practitioners in the UK: promise, perils and psychology, 1055
Smith, G.B. *see* Taylor, B.L.
Smith, J.E. *see* Tong, J.L.
Smolyarenko, V. *see* Beilin, B.
Snyder-Ramos, S.A. *see* Böttiger, B.W.
Snyders, S. and Mitton, M. Failure of a flow sensor of a Datex Ohmeda S/5 Aespire, 941
Somma, J. *see* MacLeod, D.B.
Sommer, D. *see* Kindler, C.H.
Soni, N. *see* Theaker, C.
Soni, N. *see* Tillyard, A.
Sood, D., Tewari, A., Katyal, S., Narula, N., Garg, S. and Kaul, T.K. Pain on injection of Cleofol®, 521
Spargo, P.M. UK anaesthetic training and the law of unintended consequences. Cause for concern?, 319
Spears, F.D. *see* Pillai, P.
Spigelman, A.D. *see* Wolfenden, L.
Stacey, M.R. *see* Evans, A.
Stacey, M.R., Rassam, S., Sivasankar, R., Hall, J.E. and Latto, I.P. A comparison of direct laryngoscopy and jaw thrust to aid fiberoptic intubation, 445
Standl, T. *see* Schmidt, G.N.
Stannard, K. *see* Paech, M.J.
Stargatt, R. *see* Huang, G.H.
Stedeford, J. *see* Cook, T.M.
Steinfath, M. *see* Bein, B.
Steinfath, M. *see* Russell, L.
Stevenson, M. *see* Humphreys, S.
Stewart, M.J. *see* Turley, A.J.
Stocks, G.M. *see* Ali, L.

Stone, A. *see* Bunker, N.
 Stone, A. *see* Webb, C.
 Stoneham, J. *see* Tunstill, S.A.
 Stonier, P.D. *see* Higgins, D.J.
 Strachan, M. *see* Cuthbertson, B.H.
 Strack van Schijndel, R.J.M. *see* Venker, J.
 Straeter, J. *see* Huber-Lang, M.
 Strandvik, G. *see* Berridge, P.D.R.
 Strandvik, G. *see* Ho, A.M.-H.
 Strang, T. *see* Whitcombe, A.
 Strong, P.J. *see* Goodwin, N.
 Studer, W. *see* Filipovic, M.
 Subbaramiah, M.T. *see* Ali, M.A.
 Sudheer, P.S., Hall, J.E., Read, G.F., Rowbottom, A.W. and Williams, P.E. Flow cytometric investigation of peri-anaesthetic anaphylaxis using CD63 and CD203c, 251
 Sudheer, P.S. *see* Cann, C.
 Sudheer, P.S. *see* Fayaz, K.M.
 Sudhir, G. *see* Goodwin, N.
 Sukantarat, K.T., Burgess, P.W., Williamson, R.C.N. and Brett, S.J. Prolonged cognitive dysfunction in survivors of critical illness, 847
 Sulaiman, L. and Charters, P. Survival after massive bleeding into the airway in a patient at risk from 'can't intubate, can't ventilate', 1231
 Sundaram, R. and Dell, A.E. Interaction between infusion equipment resulting in drug overdose in a critically ill patient, 88
 Sundaram, R., Koteeswaran, S.K., Jones, P.S. and Healy, M. A response to 'Clearing the cervical spine in unconscious adult trauma patients: A survey of practice in specialist centers in the UK', Jones PS, Wadley J, Healy M, *Anaesthesia* 2004; **59**: 1095–9, 105
 Suttnar, S.W. *see* Röhm, K.D.
 Sutton, P.J., Perkins, C.L., Giles, S.P., McAuley, D.F. and Gao, F. Randomised controlled cross-over comparison of continuous positive airway pressure through the Hamilton Galileo ventilator with a Dräger CF 800 device, 72
 Swallow, S.K. *see* Leslie, K.
 Swanevelder, J. *see* Elahi, M.
 Symonds, C. *see* Bowrey, S.
 Szawarski, P. and Gordon, A. A response to 'Incidence and outcome of critical illness amongst hospitalised patients with haematological malignancy: a prospective observational study of ward and intensive care unit based care', 945
 Szirt, L. *see* Kindler, C.H.
 Tabboush, Z. and Diab, M. Effect of injected epinephrine on the end-tidal carbon dioxide concentration, 98
 Tabrizi, S. *see* Hirsch, N.
 Tallach, R. *see* Perkins, V.
 Tallach, R.E., Ball, D.R. and Bell, M.D.D. Routine pre-oxygenation, 287
 Tandon, M. *see* Agarwal, A.
 Tarr, T. *see* Fludger, S.
 Tasker, L. *see* Geoghegan, J.
 Tasker, L.J. and Geoghegan, J. Giant cavernous haemangioma of the tongue, 1043
 Tavernier, B. *see* Lebuffe, G.
 Taylor, B.L., Burden, R.J., Wood, M.L.B., Smith, G.B. and Averley, P. Dental anaesthesia in children, 411
 Taylor, B.L. *see* Menon, D.K.
 Tek, G. *see* Lebuffe, G.
 Teuchner, B. *see* Tiefenthaler, W.
 Tewari, A. *see* Sood, D.
 Thaler, U., Deusch, E. and Kozek-Langenecker, S.A. *In vitro* effects of gelatin solutions on platelet function: a comparison with hydroxyethyl starch solutions, 554
 Thambyrajah, J. *see* Turley, A.J.
 Theaker, C., Kuper, M. and Soni, N. Pressure ulcer prevention in intensive care – a randomised control trial of two pressure-relieving devices, 395
 Thomas, A.N., Marchant, A.E., Ogden, M.C. and Collin, S. Implementation of a tight glycaemic control protocol using a web-based insulin dose calculator, 1093
 Thomas, A.N. *see* Saha, B.
 Thomas, G.L. and Banerjee, A. Remifentanil sedation in a critically ill obstetric patient, 1151
 Thomas, J.M. *see* Gordon, A.C.
 Thomas, M.L. *see* White, M.L.
 Thomas, R.C., Kuppurao, L. and Redpath, M.S. Incorrect assembly of non-return valve of an Oxylog ventilator, 209
 Thomas, S.M. *see* Scott, D.H.T.
 Thomas, S.P., Bamigbade, T.A. and Craft, T.M. Failure of a SafeBite bite protector, 1047
 Thompson, J.L. *see* Danha, R.F.
 Thong, C.L. *see* Kam, P.C.A.
 Thorning, G.P., Groba, C.B. and Mitton, M. Critical incident due to a corroded expiratory valve, 823
 Tian, Y.K. *see* Zhang, X.W.
 Tiefenthaler, W., Gabl, M., Teuchner, B. and Benzer, A. Intraocular pressure during lumbar disc surgery in the knee-elbow position, 878
 Tierney, E. The Nazi hypothermia experiments: forbidden data?, 413
 Tillyard, A., Keays, R. and Soni, N. The diagnosis of acute renal failure in intensive care: mongrel or pedigree?, 903
 Tirel, O., Chanavaz, C., Bansard, J.Y., Carré, F., Ecoffey, C., Seihadji, L. and Wodey, E. Effect of remifentanil with and without atropine on heart rate variability and RR interval in children, 982
 Tirén, C., Anderson, R.E., Barr, G., Öwall, A. and Jakobsson, J.G. Clinical comparison of three different anaesthetic depth monitors during cardiopulmonary bypass, 189
 Tomlinson, A. Effects of the EWTD on anaesthetic training in the UK, 96
 Tomlinson, P.A. *see* Dawson, J.S.
 Tong, J.L., Ashworth, D.R. and Smith, J.E. Cardiovascular responses following laryngoscope assisted, fiberoptic orotracheal intubation, 754
 Tonner, P.H. *see* Bein, B.
 Tonner, P.H. *see* Russell, L.
 Toscano, A. *see* Fodale, V.
 Tosh, N. *see* Sanderson, P.M.
 Townley, S.A. and Ashton, W. A novel adjunct to awake carotid endarterectomy, 1046
 Townsend, M. *see* Trümpelmann, P.
 Tripathi, M. *see* Ambesh, S.P.
 Trümpelmann, P. and Cook, T. Unilateral hypoglossal nerve injury following the use of a ProSealTM laryngeal mask, 101
 Trümpelmann, P., Jordan, G., Townsend, M. and Charlesworth, B. Hydrocortisone preparations and latex, 1246
 Trümpelmann, P. *see* Cook, T.M.
 Tufchi, A. *see* Saha, B.
 Tuncali, B. *see* Tuncali, B.E.
 Tuncali, B.E., Tuncali, B., Kuvaki, B., Cinar, O., Doğan, A. and Elar, Z. Radial nerve injury after general anaesthesia in the lateral decubitus position, 602

Tunstill, S.A., Stoneham, J. and Cox, A.A. Detachment of swivel connector from breathing circuit, 1051

Turley, A. *see* Cann, C.

Turley, A.J., Thambyrajah, J., Clarke, F.L. and Stewart, M.J. Paradoxical embolism through a patent foramen ovale: an unexpected complication of tracheal extubation, 501

Turowski, P. *see* Bein, B.

Tweedie, O. *see* Paech, M.J.

Twigg, S.J., Goodson, C., Murphy, P.J. and Milward, G. Changes to medical devices, 620

Tworowska, U. *see* Dickerman, R.D.

Tworowska, U. *see* Medras, M.

Tyagi, A. *see* Kansal, A.

Tytgat, H. *see* Leboufe, G.

Tzenkov, I.G. *see* Arnal, D.

Udy, A., Deacy, N., Barnes, D. and Sigston, P. Tramadol-induced hyponatraemia following unicompartmental knee replacement surgery, 814

Udy, A., Vaghela, M., Lawton, G. and Sigston, P. The use of recombinant activated Factor VII in the control of haemorrhage following blunt pelvic trauma, 613

Udy, A. *see* Geoghegan, J.

Udy, A. *see* Hurst, T.

Umakanth, P. *see* Sagadai, S.

Urquhart, C., Bell, G. and Cooley, A. Ear probe pulse oximeters and neonates, 294

Vaghela, M. *see* Udy, A.

Vail, A. *see* Childs, C.

Vale, L. *see* Cuthbertson, B.H.

Vallet, B. *see* Leboufe, G.

Van Klei, W.A. *see* van den Bosch, J.E.

Van Pelt, F.N.A.M. *see* Mc Donnell, C.G.

Van Zundert, A.A.J. *see* Al-Shaikh, B.

Vanner, R. Arndt Endobronchial Blocker during oesophagectomy, 295

Varveris, D. *see* Harten, J.M.

Varveris, D. *see* McNaught, A.

Vaughan, R.S. *see* Rassam, S.

Venker, J., Miedema, M., Strack van Schijndel, R.J.M., Girbes, A.R.J. and Groeneveld, A.B.J. Long-term outcome after 60 days of intensive care, 541

Verdonck, P. *see* Amà, R.

Vergheze, C. *see* Rai, M.R.

Vergouwe, Y. *see* van den Bosch, J.E.

Vickers, M. and Harmer, M. Shipman and the Anaesthetist, 509

Vidgeon, S. and Gallagher, T. Labelling of prefilled syringes of emergency drugs, 723

Viertiö-Oja, H. *see* Maksimow, A.

Vijayanand, P. *see* Higgs, A.

Vita, G. *see* Fodale, V.

van Vugt, S. *see* Berridge, P.D.R.

van Vugt, S. *see* Borg, P.

Wagle, A. *see* Awsare, A.N.

Walker, I.A. *see* White, M.L.

Wallenborn, J. *see* Rudolph, C.

Ward, J. *see* Galloway, S.

Watkins, E.J. *see* Robins, K.

Watson, M.O. *see* Sanderson, P.M.

Watterson, L.M. *see* Weller, J.M.

Watts, J.C. *see* Ni, K.M.

Weaver, D. *see* Barker, J.M.

Webb, C., Ringrose, D., Stone, A. and Black, G. Faulty interlock on Drager vaporisers, 628

Webb, S.A.R. *see* Lim, S.-M.

Webb, S.T. and Farling, P.A. Survey of arrangements for anaesthesia for interventional neuroradiology for aneurysmal subarachnoid haemorrhage, 560

Webster, C.S. and Grieve, R.O.S. Transient fixation on a non-native language associated with anaesthesia, 283

Webster, C.S. *see* Sharwood-Smith, G.H.

Webster, C.S. The iatrogenic-harm cost equation and new technology, 843

Webster, C.S. The nuclear power industry as an alternative analogy for safety in anaesthesia and a novel approach for the conceptualisation of safety goals, 1115

Weiniger, C.F., Elram, T., Ginosar, Y., Mankuta, D., Weissman, C. and Ezra, Y. Anaesthetic management of placenta accreta: use of a pre-operative high and low suspicion classification, 1079

Weiniger, C.F. *see* Eid, L.

Weiss, M., Dullenkopf, A. and Hasenclever, P. Performance of automated air tonometry under hypothermia, 705

Weiss, M. *see* Bernet, V.

Weiss, M. *see* Maino, P.

Weissman, C. *see* Weiniger, C.F.

Weller, J.M., Robinson, B.J., Jolly, B., Watterson, L.M., Joseph, M., Bajenov, S., Haughton, A.J. and Larsen, P.D. Psychometric characteristics of simulation-based assessment in anaesthesia and accuracy of self-assessed scores, 245

Welsby, I.J., Monroe, D.M., Lawson, J.H. and Hoffmann, M. Recombinant activated factor VII and the anaesthetist, 1203

Werrett, G. A response to 'Cervical epidural abscess: a rare complication of intravenous cannulation', 1157

Westphal, K. *see* Byhahn, C.

Wheat, K. Editorial 2. Progress of the Prudent Patient: Consent after *Chester v Afshar*, 217

Wheeler, D.W. *see* Wheeler, S.J.

Wheeler, S.J. and Wheeler, D.W. Medication errors in anaesthesia and critical care, 257

Whitcombe, A., Strang, T. and Reay, J. A comparison of multiple-use and single-use bougies, 416

White, M.L., Walker, I.A., Jackson, E. and Thomas, M.L. Impact of the European Working Time Directive on the training of paediatric anaesthetists, 870

White, S.M. and Baldwin, T.J. Full disclosure of risks, 205

White, S.M. and Baldwin, T.J. Withholding life-prolonging treatment, 417

White, S.M. GMC guidance upheld, 1248

White, W.D. *see* MacLeod, D.B.

Wiggers, J. *see* Wolfenden, L.

Wildsmith, J.A.W. *see* Greenhalgh, C.

Wildsmith, J.A.W. *see* Rattray, J.E.

Wildsmith, J.A.W. 'Doughty' technique, 717

Wildsmith, J.A.W., Averley, P., Leitch, J., Kenny, G. and Anderson, K. Conscious sedation for dental treatment, 198

Wildsmith, J.A.W. Conscious sedation for dental treatment, 511

Wilkes, A. *see* Goodwin, N.

Wilkes, A. *see* King, R.

Wilkes, A.R. *see* Evans, A.

Wilkes, A.R. *see* Frova, G.

Wilkes, A.R. *see* Goodwin, N.

Wilkes, A.R. *see* Rassam, S.

Wilkes, A.R. Reducing the risk of prion transmission in anaesthesia, 527

Willatts, S. GMC performance procedures and anaesthetists – good news!, 928

William, M.G. *see* Al-Shaikh, B.

Williams, P.E. *see* Sudheer, P.S.

Williamson, R.C.N. *see* Sukantarat, K.T.

Willoughby, L. and Morgan, R. Neuroanaesthetists' experience of workload-related issues and long-duration cases, 151

Wilson, S.R., Hirsch, N.P. and Appleby, I. Management of subarachnoid haemorrhage in a non-neurosurgical centre, 470

Winterborn, C., Cousins, J. and Doyle, P. Hypokalaemia induced ST segment depression, 1044

Wise, R.G. *see* Pattinson, K.T.S.

Wisely, N.A. and Zeiton, A. Use of isosulfan blue in breast surgery interferes with pulse oximetry, 625

Wodey, E. *see* Tirel, O.

Wolfenden, L., Wiggers, J., Knight, J., Campbell, E., Rissel, C., Kerridge, R., Spigelman, A.D. and Moore, K. A programme for reducing smoking in pre-operative surgical patients: randomised controlled trial, 172

Wolverson, A.S. *see* Burgess, C.M.

Wong, A.Y.C. and Irwin, M.G. Large venous air embolism in the sitting position despite monitoring with transoesophageal echocardiography, 811

Wong, K.C. *see* Ho, W.-M.

Wood, M.L.B. *see* Taylor, B.L.

Woods, I. Editorial I. Making errors: admitting them and learning from them, 215

Woods, K. and Meek, T. Failure of a single use laryngeal mask airway, 1251

Worthmann, F. *see* Russell, L.

Wright, D.R. *see* MacLeod, D.B.

Wu, C.C. *see* Ho, W.-M.

Yamagata, K. *see* Komatsu, R.

Yang, N.C. *see* Ho, W.-M.

Yardeni, I.Z. *see* Beilin, B.

Yarrow, M. *see* Kam, P.C.A.

Yentis, S. *see* Moore, M.

Yentis, S.M. *see* Bogod, D.

Yentis, S.M. *see* Mulcahy, A.J.

Yentis, S.M. *see* Pandit, J.J.

Yentis, S.M. *see* Rucklidge, M.W.M.

Yin, P. *see* Zhang, X.W.

Yogasakaran, B.S. Nerve injury after general anaesthesia, 931

Young, S. *see* Pryn, A.

Zeidan, A. and Baraka, A. Ventricular fibrillation following atropine-neostigmine mixture in a patient with undiagnosed mitral valve prolapse, 724

Zeidan, A. and Nahle, N. More on epinephrine and end-tidal carbon dioxide, 415

Zeidel, A. *see* Beilin, B.

Zeiton, A. *see* Wisely, N.A.

Zhang, X.W., Fan, Y., Manyande, A., Tian, Y.K. and Yin, P. Effects of music on target-controlled infusion of propofol requirements during combined spinal-epidural anaesthesia, 990

Ziade, M.F. *see* Naja, M.Z.

Zwaal, J.W. *see* Baba, R.

U.S. GOVERNMENT PRINTING OFFICE: 1913 60-1000

